



No image available

MY2025 HINO 300 SERIES TRUCK XZU600R ATOM 9.31 M³ CARGO 4.0L 4X2 5MT

| VEHICLE DETAILS | |
|-------------------------|--|
| Inventory Number | R13000159 |
| Model Code | |
| Steering | Right Hand Drive |
| Year | 2025 |
| Make | Hino |
| Model | 300 Series |
| Submodel | XZU600R ATOM 9.31 m ³ Cargo |
| Body Type | Truck |
| Number of Doors | 2 |
| Exterior Colors | White |
| Interior Colors | Grey |
| Interior Type | cloth |
| Country of Manufacturer | Thailand |
| Country of Origin | Thailand |

| ENGINE SPECIFICATIONS | |
|-------------------------|--------|
| Engine Model | |
| Fuel Type | Diesel |
| Induction | |
| Type | |
| CC Engine | 4.0L |
| Maximum Output Ps / Rpm | |
| Maximum Torque Nm / Rpm | |
| Fuel System | |
| Emission Standard | |

| DIMENSIONS AND WEIGHT | |
|-------------------------------------|-----------------------------|
| Overall Length x Width x Height mm. | 4826.00 x 1815.00 x 2690.00 |
| M3 Size | 23.562 |
| Wheelbase mm. | |
| Ground Clearance mm. | |
| Minimum Turning Radius m | |
| Fuel Tank Capacity L | 80 |
| Seating Capacity Pax | 3 |
| Weight (kg) | 4,500 |

| TRANSMISSION & CHASSIS | |
|-------------------------|------------|
| Transmission Type | 5MT |
| Drive Type | 4x2 |
| Suspension Front / Rear | |
| Front / Rear | |
| Steering System | |
| Wheel Type | steel |
| Tire Size | 225/75 R15 |

| SAFETY FEATURES | |
|-----------------------|------|
| Front camera | With |
| Steering wheel airbag | With |

| INTERIOR FEATURES | |
|---|------|
| Air Conditioner: DENSO (factory standard installation) | With |
| Central locking | With |
| Door visor | With |
| Dual-acting hydraulic brakes with vacuum brake booster, operating on all wheels | With |
| Electric windows | With |
| Generator: 24V, 60 amps | With |
| Number of Seats: 3 | With |
| USB power outlet | With |

| EXTERIOR FEATURES | |
|--|------|
| Auxiliary Brake: Exhaust brake, electrically controlled vacuum | With |
| Battery: 12V, 2 x 60 amp-hours | With |
| Cargo Box Floor: Injection-molded aluminum, 2.50 mm thickness | With |
| Cargo Box Material: Polystyrene (EPS) foam insulation, aluminum sheet (0.8 mm thickness) | With |
| Chassis Material: Steel forming and welding | With |
| Daytime running lights | With |
| Engine Model: Hino N04C-VA (Turbo Intercooler Diesel, 4-stroke, 4-cylinder inline) | With |
| Exhaust Standards: Euro 3 | With |

| | |
|---|------|
| Front Wheel Rim Size: 15x6.50, 5 wheel nuts | With |
| Fuel Supply System: Common rail, computer-controlled | With |
| Fuel System: Common rail, computer-controlled | With |
| Handbrake: Ejection mechanism acting on the propeller shaft | With |
| Narrowest Turning Radius: 5,500 mm | With |
| Rear Wheel Rim Size: 15x7.00, 5 wheel nuts | With |
| Tailgate Insulator: Polystyrene foam, 18 mm thickness | With |

<https://autoexpress.direct/vehicle/r1-3000159-2025-hino-300-series-truck-xzu600r-atom-931-m3-cargo-40l-diesel-4x2-5mt-rhd>