



No image available

MY2025 HINO 300 SERIES TRUCK XZU600R ATOM 12.00 M³ CARGO 4.0L 4X2 5MT

VEHICLE DETAILS	
Inventory Number	R13000161
Model Code	
Steering	Right Hand Drive
Year	2025
Make	Hino
Model	300 Series
Submodel	XZU600R ATOM 12.00 m ³ Cargo
Body Type	Truck
Number of Doors	2
Exterior Colors	White
Interior Colors	Grey
Interior Type	cloth
Country of Manufacturer	Thailand
Country of Origin	Thailand

ENGINE SPECIFICATIONS	
Engine Model	
Fuel Type	Diesel
Induction	
Type	
CC Engine	4.0L
Maximum Output Ps / Rpm	
Maximum Torque Nm / Rpm	
Fuel System	
Emission Standard	

DIMENSIONS AND WEIGHT	
Overall Length x Width x Height mm.	5076.00 x 1815.00 x 2908.00
M3 Size	26.791
Wheelbase mm.	
Ground Clearance mm.	
Minimum Turning Radius m	
Fuel Tank Capacity L	80
Seating Capacity Pax	3
Weight (kg)	4,500

TRANSMISSION & CHASSIS	
Transmission Type	5MT
Drive Type	4x2
Suspension Front / Rear	
Front / Rear	
Steering System	
Wheel Type	steel
Tire Size	225/75 R15

SAFETY FEATURES	
Anti-roll bar	With
Front camera	With
Steering wheel airbag	With

INTERIOR FEATURES	
Air Conditioner: DENSO (factory standard installation)	With
Central locking	With
Door visor	With
Dual-acting hydraulic brakes with vacuum brake booster, operating on all wheels	With
Electric windows	With
Electric windows and central locking	With
Generator: 24V, 60 amps	With
Number of Seats: 3	With
Power take-off (PTO)	With
Roof spoiler	With
USB power outlet	With

EXTERIOR FEATURES	
Auxiliary Brake: Exhaust brake, electrically controlled vacuum	With
Battery: 12V, 2 x 60 amp-hours	With
Cargo Box Ceiling Material: Aluminum sheet, 0.45 mm thickness (inner surface)	With
Cargo Box Floor: Injection-molded aluminum, 2.50 mm thickness	With

Cargo Box Insulation: Polyurethane (PU) foam, 29.1 mm thickness for walls, 29.1 mm thickness for tailgate	With
Cargo Box Wall Material: Aluminum sheet, 0.45 mm thickness (outer surface)	With
Chassis Material: Steel forming and welding	With
Clutch Type: Single dry, hydraulic controlled	With
Daytime running lights	With
Engine Model: Hino N04C-VA (Turbo Intercooler Diesel, 4-stroke, 4-cylinder inline)	With
Exhaust Standards: Euro 3	With
Front Wheel Rim Size: 15x6.50, 5 wheel nuts	With
Fuel Supply System: Common rail, computer-controlled	With
Handbrake: Ejection mechanism acting on the propeller shaft	With
Rear Wheel Rim Size: 15x7.00, 5 wheel nuts	With
Steel steps	With
Walk-in cabin	With

<https://autoexpress.direct/vehicle/r1-3000161-2025-hino-300-series-truck-xzu600r-atom-1200-m3-cargo-40l-diesel-4x2-5mt-rhd>