



No image available

MY2025 HINO XZU150 HP TRUCK XZU650R-HKMRLT3 4.0L 4X2 5MT

VEHICLE DETAILS	
Inventory Number	R13000163
Model Code	
Steering	Right Hand Drive
Year	2025
Make	Hino
Model	XZU150 hp
Submodel	XZU650R-HKMRLT3
Body Type	Truck
Number of Doors	2
Exterior Colors	White
Interior Colors	Black
Interior Type	cloth
Country of Manufacturer	Thailand
Country of Origin	Thailand

ENGINE SPECIFICATIONS	
Engine Model	
Fuel Type	Diesel
Induction	
Type	
CC Engine	4.0L
Maximum Output Ps / Rpm	
Maximum Torque Nm / Rpm	
Fuel System	
Emission Standard	

DIMENSIONS AND WEIGHT	
Overall Length x Width x Height mm.	5938.00 x 1695.00 x 2170.00
M3 Size	21.841
Wheelbase mm.	
Ground Clearance mm.	
Minimum Turning Radius m	
Fuel Tank Capacity L	100
Seating Capacity Pax	3
Weight (kg)	7,400

TRANSMISSION & CHASSIS	
Transmission Type	5MT
Drive Type	4x2
Suspension Front / Rear	
Front / Rear	
Steering System	
Wheel Type	steel
Tire Size	205/85 R16

SAFETY FEATURES	
Front Camera	With
Power Take-Off (PTO)	With
Steering Wheel Airbag: Standard for safety	With

INTERIOR FEATURES	
Air Conditioning: Denso (factory standard installation)	With
Cabin: Designed for 3 passengers (standard configuration)	With
Electric Windows & Central Locking	With
Roof Spoiler	With
Steering System: Recirculating ball bearing with hydraulic assist	With
USB Power Outlet	With

EXTERIOR FEATURES	
Auxiliary Brake: Vacuum-operated exhaust brake, electrically controlled	With
Battery: 12V, 2 x 60 amp-hours (20-hour charge rate)	With
Chassis: Steel forming and welding for durability	With
Daytime Running Lights (DRL)	With
Engine Model: Hino N04C-VB (4-cylinder turbo intercooler diesel engine)	With
Exhaust Standards: Euro 3	With
Fuel Supply System: Common rail, computer-controlled	With
Generator: 24V, 60 amps	With
Handbrake: Brake ejection mechanism acts on the propeller shaft	With
Tires: 205/85R16	With

Wheel Rim: 16 x 5.50K-115, 6 wheel nuts

With

<https://autoexpress.direct/vehicle/r1-3000163-2025-hino-xzu150-hp-truck-xzu650r-hkmrlt3-40l-diesel-4x2-5mt-rhd>