



No image available

MY2025 ISUZU NMR TRUCK NMR85HXXFB 3.0L 4X2 6MT

VEHICLE DETAILS	
Inventory Number	R10210057
Model Code	
Steering	Right Hand Drive
Year	2025
Make	Isuzu
Model	NMR
Submodel	NMR85HXXFB
Body Type	Truck
Number of Doors	2
Exterior Colors	White
Interior Colors	Black
Interior Type	cloth
Country of Manufacturer	Thailand
Country of Origin	Thailand

ENGINE SPECIFICATIONS	
Engine Model	
Fuel Type	Diesel
Induction	Turbo
Type	
CC Engine	3.0L
Maximum Output Ps / Rpm	
Maximum Torque Nm / Rpm	
Fuel System	
Emission Standard	

DIMENSIONS AND WEIGHT	
Overall Length x Width x Height mm.	6020.00 x 1860.00 x 2240.00
M3 Size	25.082
Wheelbase mm.	
Ground Clearance mm.	
Minimum Turning Radius m	
Fuel Tank Capacity L	100
Seating Capacity Pax	3
Weight (kg)	7,400

TRANSMISSION & CHASSIS	
Transmission Type	6MT
Drive Type	4x2
Suspension Front / Rear	
Front / Rear	
Steering System	
Wheel Type	steel
Tire Size	7.00R16-12PR

SAFETY FEATURES	
Anti-lock Braking System (ABS)	With
Daytime Running Lights (DRLs)	With
Driver and Passenger Airbags	With
Electronic Stability Control (ESC)	With
Reverse Sensors	With

INTERIOR FEATURES	
Air Conditioning	With
Ergonomic Driver's Seat and Adjustable Steering Wheel	With
Multimedia System with Bluetooth	With
Steering system is a recirculating ball type with power assist, adjustable height and tilt, with anti-shake shock absorber.	With
Steering system Minimum turning radius (m.) 7.2	With

EXTERIOR FEATURES	
5.50F wheel rim, 16" rim, 5 lug nuts	With
Alternator (Volt/Amp) 24 / 50	With
Battery (Volt/Amp-hr.) 12/70, 2 pieces	With
Clutch type and control system Single plate dry, diaphragm spring, hydraulically controlled	With
Diesel Oxidation Catalyst with Particulate Oxidation Catalyst (DOC with POC) exhaust treatment system	With
Exhaust brake assist	With
Halogen Headlamps	With
Roof Antenna	With

Side Mirrors with Electric Adjustments	With
Steel Wheels	With
Tire 7.00R16-12PR (Radial tire with inner tube)	With

<https://autoexpress.direct/vehicle/r10210057-2025-isuzu-nmr-truck-nmr85hxxfb-30l-diesel-4x2-6mt-rhd>