



No image available

**MY2025 HINO FG 260 HP TRUCK FG8JH1B-PGT (TRACTOR) 7.7L 4X2 6MT**

VEHICLE DETAILS	
Inventory Number	R10210107
Model Code	
Steering	Right Hand Drive
Year	2025
Make	Hino
Model	FG 260 hp
Submodel	FG8JH1B-PGT (Tractor)
Body Type	Truck
Number of Doors	2
Exterior Colors	White
Interior Colors	
Interior Type	cloth
Country of Manufacturer	Thailand
Country of Origin	Thailand

ENGINE SPECIFICATIONS	
Engine Model	
Fuel Type	Diesel
Induction	Turbo
Type	
CC Engine	7.7L
Maximum Output Ps / Rpm	
Maximum Torque Nm / Rpm	
Fuel System	
Emission Standard	

DIMENSIONS AND WEIGHT	
Overall Length x Width x Height mm.	6235.00 x 2490.00 x 3540.00
M3 Size	54.959
Wheelbase mm.	
Ground Clearance mm.	
Minimum Turning Radius m	
Fuel Tank Capacity L	200
Seating Capacity Pax	3
Weight (kg)	35,000

TRANSMISSION & CHASSIS	
Transmission Type	6MT
Drive Type	4x2
Suspension Front / Rear	
Front / Rear	
Steering System	
Wheel Type	steel
Tire Size	11R22.5-16PR

SAFETY FEATURES	
5-level adjustable headlights	With
Front Camera: Optional for better visibility during maneuvering	With
Roof Spoiler: Optional for improved aerodynamics	With
Steering wheel airbag	With

INTERIOR FEATURES	
Air Conditioning: DENSO (factory-standard installation)	With
Central Locking	With
Clutch Type: Single sheet dry, controlled by hydraulic system	With
Door Visor	With
Handbrake	With
Hydraulic Assist Steering	With
Power Take-Off (PTO)	With
Power Windows	With
USB Power Outlet	With

EXTERIOR FEATURES	
Battery: 12V, 2 pieces, 120 ampere-hours at a 20-hour charge rate	With
Cooling: Water-cooled	With
Daytime running lights	With
Daytime Running Lights	With
Exhaust Brake: Operated by air pressure and electrically controlled for additional deceleration	With
Exhaust Standards: Euro 3	With

Fuel Supply System: Common rail, computer-controlled system for better fuel efficiency and lower emissions	With
Fuel System: Common rail, electronically controlled	With
Generator: 24V, 60 amps	With
Overhead camshaft	With
S-Cam Brake System: Acts on both forward and reverse rotations for effective braking	With
Spring Brake: Acts on the rear axle for emergency braking	With
Tire Size: 11R22.5-16PR (high-performance truck tires for heavy-duty use)	With
Wheel Rim: 22.5 x 7.50 with 10 wheel nuts	With

<https://autoexpress.direct/vehicle/r10210107-2025-hino-fg-260-hp-truck-fg8jh1b-pgt-tractor-77l-diesel-4x2-6mt-rhd>